



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
CNMX120402	12.7	4.76	5.16	0.2	3° - 10°	—	○	—	●	○	○
CNMX120404	12.7	4.76	5.16	0.4		—	○	—	●	○	○
CNMX120408	12.7	4.76	5.16	0.8		—	○	—	●	○	○
CNMX120412	12.7	4.76	5.16	1.2		—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				γ°	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
CCGT060201	6.35	2.38	2.8	0.1	3° - 10°	—	○	—	●	○	○
CCGT060202	6.35	2.38	2.8	0.2		—	○	—	●	○	○
CCGT060204	6.35	2.38	2.8	0.4		—	○	—	●	○	○
CCGT09T302	9.525	3.97	4.4	0.2		—	○	—	●	○	○
CCGT09T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
CCGT09T308	9.525	3.97	4.4	0.8		—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
CCGW060201	6.35	2.38	2.8	0.1	0°	—	○	—	●	○	○
CCGW060202	6.35	2.38	2.8	0.2		—	○	—	●	○	○
CCGW060204	6.35	2.38	2.8	0.4		—	○	—	●	○	○
CCGW09T302	9.525	3.97	4.4	0.2		—	○	—	●	○	○
CCGW09T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
CCGW09T308	9.525	3.97	4.4	0.8		—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				γ°	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
CPGT080202	7.94	2.38	2.8	0.2	3° - 10°	—	○	—	●	○	○
CPGT080204	7.94	2.38	2.8	0.4		—	○	—	●	○	○
CPGT080206	7.94	2.38	2.8	0.6		—	○	—	●	○	○
CPGT080208	7.94	2.38	2.8	0.8		—	○	—	●	○	○
CPGT090302	9.525	3.18	4.4	0.2		—	○	—	●	○	○
CPGT090304	9.525	3.18	4.4	0.4		—	○	—	●	○	○
CPGT090306	9.525	3.18	4.4	0.6		—	○	—	●	○	○
CPGT090308	9.525	3.18	4.4	0.8		—	○	—	●	○	○
						—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
CCGW060201HS	6.35	2.38	2.8	0.1	0°	—	○	—	●	○	○
CCGW060202HS	6.35	2.38	2.8	0.2		—	○	—	●	○	○
CCGW060204HS	6.35	2.38	2.8	0.4		—	○	—	●	○	○
CCGW09T302HS	9.525	3.97	4.4	0.2		—	○	—	●	○	○
CCGW09T304HS	9.525	3.97	4.4	0.4		—	○	—	●	○	○
CCGW09T308HS	9.525	3.97	4.4	0.8		—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
DNMX150402	12.7	4.76	5.16	0.2	3° - 10°	—	○	—	●	○	○
DNMX150404	12.7	4.76	5.16	0.4		—	○	—	●	○	○
DNMX150408	12.7	4.76	5.16	0.8		—	○	—	●	○	○
DNMX150412	12.7	4.76	5.16	1.2		—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
DCGW070202	6.35	2.38	2.8	0.2	0°	—	○	—	●	○	○
DCGW070204	6.35	2.38	2.8	0.4		—	○	—	●	○	○
DCGW11T302	9.525	3.97	4.4	0.2		—	○	—	●	○	○
DCGW11T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
DCGW11T308	9.525	3.97	4.4	0.8		—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
VCGW110301	6.35	3.18	2.8	0.1	0°	—	○	—	●	○	○
VCGW110302	6.35	3.18	2.8	0.2		—	○	—	●	○	○
VCGW110304	6.35	3.18	2.8	0.4		—	○	—	●	○	○
VCGW160404	9.525	4.76	4.4	0.4		—	○	—	●	○	○
VCGW160408	9.525	4.76	4.4	0.8		—	○	—	●	○	○
VCGW160412	9.525	4.76	4.4	1.2		—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				γ°	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
DCGT070202	6.35	2.38	2.8	0.2	3° - 10°	—	○	—	●	○	○
DCGT070204	6.35	2.38	2.8	0.4		—	○	—	●	○	○
DCGT11T302	9.525	3.97	4.4	0.2		—	○	—	●	○	○
DCGT11T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
DCGT11T308	9.525	3.97	4.4	0.8		—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
VCGT110301	6.35	3.18	2.8	0.1	3° - 10°	—	○	—	●	○	○
VCGT110302	6.35	3.18	2.8	0.2		—	○	—	●	○	○
VCGT110304	6.35	3.18	2.8	0.4		—	○	—	●	○	○
VCGT160404	9.525	4.76	4.4	0.4		—	○	—	●	○	○
VCGT160408	9.525	4.76	4.4	0.8		—	○	—	●	○	○
VCGT160412	9.525	4.76	4.4	1.2		—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
VNMX160402	9.525	4.76	3.81	0.2	3° - 10°	—	○	—	●	○	○
VNMX160404	9.525	4.76	3.81	0.4		—	○	—	●	○	○
VNMX160408	9.525	4.76	3.81	0.8		—	○	—	●	○	○
VNMX160412	9.525	4.76	3.81	1.2		—	○	—	●	○	○
						—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
VBGW110304	6.35	3.18	2.8	0.4	0°	—	○	—	●	○	○
VBGW160404	9.525	4.76	4.4	0.4		—	○	—	●	○	○
VBGW160408	9.525	4.76	4.4	0.8		—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
VBGT110204	6.35	2.38	2.8	0.4	3° - 10°	—	○	—	●	○	○
VBGT160404	9.525	4.76	4.4	0.4		—	○	—	●	○	○
VBGT160408	9.525	4.76	4.4	0.8		—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
TNMX160402	9.525	4.76	3.81	0.2	3° - 10°	—	○	—	●	○	○
TNMX160404	9.525	4.76	3.81	0.4		—	○	—	●	○	○
TNMX160408	9.525	4.76	3.81	0.8		—	○	—	●	○	○
TNMX160412	9.525	4.76	3.81	1.2		—	○	—	●	○	○




型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
TCGW090202	5.56	2.38	2.5	0.2	0°	—	○	—	●	○	○
TCGW090204	5.56	2.38	2.5	0.4		—	○	—	●	○	○
TCGW090208	5.56	2.38	2.5	0.8		—	○	—	●	○	○
TCGW110202	6.35	2.38	2.8	0.2		—	○	—	●	○	○
TCGW110204	6.35	2.38	2.8	0.4		—	○	—	●	○	○
TCGW110208	6.35	2.38	2.8	0.8		—	○	—	●	○	○
TCGW110302	6.35	3.18	2.8	0.2		—	○	—	●	○	○
TCGW110304	6.35	3.18	2.8	0.4		—	○	—	●	○	○
TCGW110308	6.35	3.18	2.8	0.8		—	○	—	●	○	○
TCGW16T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
TCGW16T308	9.525	3.97	4.4	0.8		—	○	—	●	○	○
TCGW16T312	9.525	3.97	4.4	1.2		—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
TCGW090202HS	5.56	2.38	2.5	0.2	0°	—	○	—	●	○	○
TCGW090204HS	5.56	2.38	2.5	0.4		—	○	—	●	○	○
TCGW090208HS	5.56	2.38	2.5	0.8		—	○	—	●	○	○
TCGW110202HS	6.35	2.38	2.8	0.2		—	○	—	●	○	○
TCGW110204HS	6.35	2.38	2.8	0.4		—	○	—	●	○	○
TCGW110208HS	6.35	2.38	2.8	0.8		—	○	—	●	○	○
TCGW110302HS	6.35	3.18	2.8	0.2		—	○	—	●	○	○
TCGW110304HS	6.35	3.18	2.8	0.4		—	○	—	●	○	○
TCGW110308HS	6.35	3.18	2.8	0.8		—	○	—	●	○	○
TCGW16T304HS	9.525	3.97	4.4	0.4		—	○	—	●	○	○
TCGW16T308HS	9.525	3.97	4.4	0.8		—	○	—	●	○	○
TCGW16T312HS	9.525	3.97	4.4	1.2		—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
TCGT090202	5.56	2.38	2.5	0.2	3° - 10°	—	○	—	●	○	○
TCGT090204	5.56	2.38	2.5	0.4		—	○	—	●	○	○
TCGT090208	5.56	2.38	2.5	0.8		—	○	—	●	○	○
TCGT110202	6.35	2.38	2.8	0.2		—	○	—	●	○	○
TCGT110204	6.35	2.38	2.8	0.4		—	○	—	●	○	○
TCGT110208	6.35	2.38	2.8	0.8		—	○	—	●	○	○
TCGT110302	6.35	3.18	2.8	0.2		—	○	—	●	○	○
TCGT110304	6.35	3.18	2.8	0.4		—	○	—	●	○	○
TCGT110308	6.35	3.18	2.8	0.8		—	○	—	●	○	○
TCGT16T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
TCGT16T308	9.525	3.97	4.4	0.8		—	○	—	●	○	○
TCGT16T312	9.525	3.97	4.4	1.2		—	○	—	●	○	○






型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
TPGW080202	4.76	2.38	2.4	0.2	0°	—	○	—	●	○	○
TPGW080204	4.76	2.38	2.4	0.4		—	○	—	●	○	○
TPGW090202	5.56	2.38	2.8	0.2		—	○	—	●	○	○
TPGW090204	5.56	2.38	2.8	0.4		—	○	—	●	○	○
TPGW090208	5.56	2.38	2.8	0.8		—	○	—	●	○	○
TPGW110202	6.35	2.38	2.8	0.2		—	○	—	●	○	○
TPGW110204	6.35	2.38	2.8	0.4		—	○	—	●	○	○
TPGW110208	6.35	2.38	2.8	0.8		—	○	—	●	○	○
TPGW110302	6.35	3.18	3.4	0.2		—	○	—	●	○	○
TPGW110304	6.35	3.18	3.4	0.4		—	○	—	●	○	○
TPGW110308	6.35	3.18	3.4	0.8		—	○	—	●	○	○
TPGW160302	9.525	3.18	4.4	0.2		—	○	—	●	○	○
TPGW160304	9.525	3.18	4.4	0.4		—	○	—	●	○	○
TPGW160308	9.525	3.18	4.4	0.8		—	○	—	●	○	○
TPGW16T302	9.525	3.97	4.4	0.2		—	○	—	●	○	○
TPGW16T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
TPGW16T308	9.525	3.97	4.4	0.8		—	○	—	●	○	○
TPGW160402	9.525	4.76	4.4	0.2		—	○	—	●	○	○
TPGW160404	9.525	4.76	4.4	0.4		—	○	—	●	○	○
TPGW160408	9.525	4.76	4.4	0.8		—	○	—	●	○	○
TPGW160412	9.525	4.76	4.4	1.2	—	○	—	●	○	○	



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
TPGW080202HS	4.76	2.38	2.4	0.2	0°	—	○	—	●	○	○
TPGW080204HS	4.76	2.38	2.4	0.4		—	○	—	●	○	○
TPGW090202HS	5.56	2.38	2.8	0.2		—	○	—	●	○	○
TPGW090204HS	5.56	2.38	2.8	0.4		—	○	—	●	○	○
TPGW090208HS	5.56	2.38	2.8	0.8		—	○	—	●	○	○
TPGW110202HS	6.35	2.38	2.8	0.2		—	○	—	●	○	○
TPGW110204HS	6.35	2.38	2.8	0.4		—	○	—	●	○	○
TPGW110208HS	6.35	2.38	2.8	0.8		—	○	—	●	○	○
TPGW110302HS	6.35	3.18	3.4	0.2		—	○	—	●	○	○
TPGW110304HS	6.35	3.18	3.4	0.4		—	○	—	●	○	○
TPGW110308HS	6.35	3.18	3.4	0.8		—	○	—	●	○	○
TPGW160302HS	9.525	3.18	4.4	0.2		—	○	—	●	○	○
TPGW160304HS	9.525	3.18	4.4	0.4		—	○	—	●	○	○
TPGW160308HS	9.525	3.18	4.4	0.8		—	○	—	●	○	○
TPGW16T302HS	9.525	3.97	4.4	0.2		—	○	—	●	○	○
TPGW16T304HS	9.525	3.97	4.4	0.4		—	○	—	●	○	○
TPGW16T308HS	9.525	3.97	4.4	0.8		—	○	—	●	○	○
TPGW160402HS	9.525	4.76	4.4	0.2		—	○	—	●	○	○
TPGW160404HS	9.525	4.76	4.4	0.4		—	○	—	●	○	○
TPGW160408HS	9.525	4.76	4.4	0.8		—	○	—	●	○	○
TPGW160412HS	9.525	4.76	4.4	1.2	—	○	—	●	○	○	



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
SNMX120404	12.7	4.76	5.16	0.4	3° - 10°	—	○	—	●	○	○
SNMX120408	12.7	4.76	5.16	0.8		—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
SPGW090302	9.525	3.18	4.4	0.2	0°	—	○	—	●	○	○
SPGW090304	9.525	3.18	4.4	0.4		—	○	—	●	○	○
SPGW090308	9.525	3.18	4.4	0.8		—	○	—	●	○	○




型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
TPGT080202	4.76	2.38	2.4	0.2	3° - 10°	—	○	—	●	○	○
TCGT080204	4.76	2.38	2.4	0.4		—	○	—	●	○	○
TCGT090202	5.56	2.38	2.8	0.2		—	○	—	●	○	○
TCGT090204	5.56	2.38	2.8	0.4		—	○	—	●	○	○
TCGT110202	6.35	2.38	2.8	0.2		—	○	—	●	○	○
TCGT110204	6.35	2.38	2.8	0.4		—	○	—	●	○	○
TCGT110302	6.35	3.18	3.4	0.2		—	○	—	●	○	○
TCGT110304	6.35	3.18	3.4	0.4		—	○	—	●	○	○
TCGT110308	6.35	3.18	3.4	0.8		—	○	—	●	○	○
TCGT160302	9.525	3.18	4.4	0.2		—	○	—	●	○	○
TCGT160304	9.525	3.18	4.4	0.4		—	○	—	●	○	○
TCGT16T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
TCGT16T308	9.525	3.97	4.4	0.8		—	○	—	●	○	○
TCGT16T312	9.525	3.97	4.4	1.2		—	○	—	●	○	○
TCGT160402	9.525	4.76	4.4	0.2		—	○	—	●	○	○
TCGT160404	9.525	4.76	4.4	0.4		—	○	—	●	○	○
TCGT160408	9.525	4.76	4.4	0.8		—	○	—	●	○	○
TCGT160412	9.525	4.76	4.4	1.2		—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				前角 Relief angle	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
WNMX090302	9.525	3.18	4.4	0.2	3° - 10°	—	○	—	●	○	○
WNMX090304	9.525	3.18	4.4	0.4		—	○	—	●	○	○
WNMX090308	9.525	3.18	4.4	0.8		—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				γ <sub>0</sub>	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
WCGW06T302	9.525	3.97	4.4	0.2	0°	—	○	—	●	○	○
WCGW06T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
WCGW06T308	9.525	3.97	4.4	0.8		—	○	—	●	○	○
WCGW080402	12.7	4.76	5.5	0.2		—	○	—	●	○	○
WCGW080404	12.7	4.76	5.5	0.4		—	○	—	●	○	○
WCGW080408	12.7	4.76	5.5	0.8		—	○	—	●	○	○




型号 Type	尺寸 Dimension (mm)				牌号 Grades					
	I. C	s	d	r	CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
RCGW060200	6	2.38	2.8	/	—	○	—	●	○	○
RCGW080300	8	3.18	3.4		—	○	—	●	○	○
RCGW100300	10	3.18	3.6		—	○	—	●	○	○
RCGW120400	12	4.76	4.2		—	○	—	●	○	○



型号 Type	尺寸 Dimension (mm)				γ <sub>0</sub>	牌号 Grades					
	I. C	s	d	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
SCGT060202	6.35	2.38	2.2	0.2	3° - 10°	—	○	—	●	○	○
SCGT060204	6.35	2.38	2.2	0.4		—	○	—	●	○	○
SCGT070202	7.94	2.38	3.4	0.2		—	○	—	●	○	○
SCGT070204	7.94	2.38	3.4	0.4		—	○	—	●	○	○
SCGT09T302	9.525	3.97	4.4	0.2		—	○	—	●	○	○
SCGT09T304	9.525	3.97	4.4	0.4		—	○	—	●	○	○
SCGT09T308	9.525	3.97	4.4	0.8	—	○	—	●	○	○	




型号 Type	尺寸 Dimension (mm)				牌号 Grades					
	I. C	s	d	r	CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
RPGW080300	8	3.18	3.4	/	—	○	—	●	○	○
RPGW100400	10	4.76	3.6		—	○	—	●	○	○
RPGW120400	12	4.76	4.2		—	○	—	●	○	○
RPGW160400	16	4.76	5.2		—	○	—	●	○	○





型号 Type	尺寸 Dimension (mm)			γ°	牌号 Grades					
	l. C	s	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
TPGN090202	5.56	2.38	0.2	0°	-	⊙	-	●	⊙	⊙
TPGN090204	5.56	2.38	0.4		-	⊙	-	●	⊙	⊙
TPGN110302	6.35	3.18	0.2		-	⊙	-	●	⊙	⊙
TPGN110304	6.35	3.18	0.4		-	⊙	-	●	⊙	⊙
TPGN110308	6.35	3.18	0.8		-	⊙	-	●	⊙	⊙
TPGN160302	9.525	3.18	0.2		-	⊙	-	●	⊙	⊙
TPGN160304	9.525	3.18	0.4		-	⊙	-	●	⊙	⊙
TPGN160308	9.525	3.18	0.8		-	⊙	-	●	⊙	⊙
TPGN160312	9.525	3.18	1.2		-	⊙	-	●	⊙	⊙

PCD单刃螺旋立铣刀 ( 钻孔铣削深度1\*d1)  
PCD Helical End Mill with Single Flute (Drilling/Milling Depth up to 1\*d1)




订货编码 Order Code	d1	l3	d2	l2	l1	齿数 Teeth No.
SM030560-1S	3	5	4	40	60	1
SM040660-1S	4	6	4	40	60	1
SM050760-1S	5	7	6	40	60	1
SM060860-1S	6	8	6	40	60	1
SM081072-1S	8	10	8	40	72	1
SM101272-1S	10	12	10	40	72	1

型号 Type	尺寸 Dimension (mm)			前角 Relief angle	牌号 Grades					
	l. C	s	r		CDW850	CDW002	CDW005	CDW010	CDW025	CDW302
TPGN090202HS	5.56	2.38	0.2	0°	-	⊙	-	●	⊙	⊙
TPGN090204HS	5.56	2.38	0.4		-	⊙	-	●	⊙	⊙
TPGN110302HS	6.35	3.18	0.2		-	⊙	-	●	⊙	⊙
TPGN110304HS	6.35	3.18	0.4		-	⊙	-	●	⊙	⊙
TPGN110308HS	6.35	3.18	0.8		-	⊙	-	●	⊙	⊙
TPGN160302HS	9.525	3.18	0.2		-	⊙	-	●	⊙	⊙
TPGN160304HS	9.525	3.18	0.4		-	⊙	-	●	⊙	⊙
TPGN160308HS	9.525	3.18	0.8		-	⊙	-	●	⊙	⊙
TPGN160312HS	9.525	3.18	1.2		-	⊙	-	●	⊙	⊙



PCD双刃螺旋立铣刀 ( 钻孔铣削深度0.5\*d1)  
PCD Helical End Mill with 2-Flute (Drilling/Milling Depth up to 0.5\*d1)



订货编码 Order Code	d1	l3	d2	l2	l1	齿数 Teeth No.
DM060560-2S	6	5	6	40	60	2
DM080572-2S	8	5	8	40	72	2
DM100672-2S	10	6	10	40	72	2
DM120897-2S	12	8	12	50	97	2
DM140997-2S	14	9	14	50	97	2
DM161097-2S	16	10	16	50	97	2
DM181197-2S	18	11	18	50	97	2
DM201297-2S	20	12	20	50	97	2

注: ●表示第一推荐; ⊙表示第二推荐; -表示不推荐, 可按需生产。  
Noted: ● First choice; ⊙ Second choice; - Not recommend, can be produced.